
# **System 63 – Chemical Resistant (CR)**

#### **Table Mounted (TM)**



A: Model 63-35-1-7-5 R: 530 mm B: Model 63-45-1-7-5 R: 630 mm C: Model 63-55-1-7-5 R: 730 mm D: Model 63-3535-1-7-5 R: 800mm

R: 1080 mm

E: Model 63-5545-1-7-5

Accessory: Extractor Tube 1-6325-7-5

The working area of the arm is defined from the center of the opening of the accessory.
The working area changes according to type of accessory and positioning.


When choosing the arm we recommend that the stationary working position of the accessory is not placed in the highest or lowest part of the working area.

(All measurements in mm)



# **System 63 – Chemical Resistant (CR)**

#### Wall Mounted (WM)



A: Model 63-3535-3-7-5 R: 760 mm
B: Model 63-3590-3-7-5 R: 1120 mm
C: Model 63-5545-3-7-5 R: 1025 mm
D: Model 63-6555-3-7-5 R: 1190 mm

R: 1500 mm

E: Model 63-9065-3-7-5

Accessory: Extractor Tube 1-6325-7-5

The working area of the arm is defined from the center of the opening of the accessory.
The working area changes according to type of accessory and positioning.


When choosing the arm we recommend that the stationary working position of the accessory is not placed in the highest or lowest part of the working area.

(All measurements in mm)



### **System 63 – Chemical Resistant (CR)**

### **Ceiling Mounted (CM)**



A: Model 63-3535-3-7-5 R: 760 mm
B: Model 63-3590-3-7-5 R: 1120 mm
C: Model 63-5545-3-7-5 R: 1025 mm
D: Model 63-6555-3-7-5 R: 1190 mm
E: Model 63-9065-3-7-5 R: 1500mm

Accessory: Extractor Tube 1-6325-7-5

The working area of the arm is defined from the center of the opening of the accessory.
The working area changes according to type of accessory and positioning.

When choosing the arm we recommend that the stationary working position of the accessory is not placed in the highest or lowest part of the working area.

(All measurements in mm)

